



Day and night performance

HIKMICRO Cheetah Digital Night Vision Monocular can be easily transformed into a scope and performs well under any lighting condition. Its advanced 2560 x 1440 HD sensor and 1920 x 1080 OLED display are capable of capturing every object in great detail and with rich clarity.



Panther 2.0 THERMAL SCOPE

Compact vet powerful

High thermal sensitivity, perfect detail recognition. Every detail matters when identifying targets. Less than 20 mK NETD helps identify small details of objects from their background easily and clearly even in the hardest weather and low-light conditions.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
α	PQ50L 2.0	2600m	8.8° × 7°	2.6 - 20.8	640 × 512, 12 µm	\$7,999
۳.	PQ35L 2.0	1800m	12.5° × 10°	1.77 - 14.16	NETD < 20mK	\$7,299
N Z	PH50L 2.0	2600m	5.3°×4°	4.22 - 33.76	384 × 288, 12 μm NETD < 20mK	\$5,899
A	PH35L 2.0	1800m	7.5° × 5°	2.96 - 23.68		\$4,999

** Ballistic Calculator features on all LRF Models

EXPLORER

SMARTPHONE THERMAL CAMERA

Ultimate in Portability

Thermal Camera for Android Smartphone, the E20PLUS is designed for consumer applications for outdoor activities such as bird watching, hiking, camping, sports & concerts.



The HIKMICRO M15 wildlife camera is a powerful and robust 4G-equipped camera ideal for wildlife observation and is an extremely useful device for hunting and a variety of other outdoor activities

	MODEL	RANGE	FEATURE	SENSOR	RRP
AIL	M15	25m Identification Range	.5 Second Trigger Speed	1080P 940nm	\$399.99
CAN	SP5000	SOLAR PANEL - Powerk	bank		\$159.99

Habrok PRO THERMAL NIGHT VISION BINOCULARS

Enhanced Resolution

The Habrok Pro & 4K models combine thermal and digital optical channels, enhancing outdoor experiences. Compact like traditional binoculars but packed with advanced tech. Detect in thermal, view in optical, and record to built-in memory.

THIKMICRO

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
ŏ ¥	HX60L	3100m/400m	7.3°×4.1° 14.6°×8.8°	D 5.5-22 T 2.6- 26	1280×1024, 12µm NETD < 18mK	\$10,999
HABR PRO &	HQ50L	2600m/400m	7.3°×4.1° 8.8°×5.3°	D 5.5-22 T 4.3 - 25.8	640×512, 12µm NETD < 15mK	\$7,499
± -	HE25L	1200m/400m	6.9°×4.1° 7°×5.3°	D 5.5-22 T 4.3 - 17.2	256×192, 12µm NETD < 35mK	\$2,999



Compact Game Partner

The perfect all-in-one solution for both field and hunters. With its highly sensitive thermal detector and impressive 4x magnification, you won't miss any detail. No matter the distance, you can trust the LRF to provide precise measurement up to 1000m.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
BROK	HQ35L	1800m/400m	13.9°×7.8 12.5°×10.1°	D 2.9-23.2 T 3-24	640×512, 12 μm NETD < 20mK	\$6,499
HAE	HH35L	1800117 400111	13.9°×7.8° 7.5°×5.7°	D 2.9-23.2 T 4-32	384×288, 12 μm NETD < 20mK	\$4,999

All Habrok range also available in a 940nm





All-in-one Solution

In combination with thermal camera, digital day & night camera, and laser rangefinder, the ultimate innovative RAPTOR series binocular provides unprecedented observation capability in thermal or true living color, up close or from a distance, during day or night in all weather conditions.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
ĸ	RQ50LN		8.8°×7°	3.4-54.4. ×16	640 × 512, 12 µm	\$8,999
Ĕ	RQ50L	2000	0.0 × /	3.4-34.4, ^10	NETD < 20mK	\$8,999
RA	RH50LN	2600m	5.3°×4°	5.7-91.2, ×16	384 × 288, 12 μm NETD < 20mK	\$6,999
	RH50L					\$6,999

NZ Office number

UNTSMAN

www.huntsmanoptics.com

OPTICS

03 789 4112

NZ Office Email newzealand@huntsmanoptics.com



















THE ULTIMATE IN THERMAL AND NIGHT VISION SOLUTIONS



Lightweight & Compact

Compact and light with a very comfortable and robust feel to it, the LYNX Monocular has the ultimate thermal performance housed in a small package. With advanced engineering, the refresh rate is smooth and fast - eliminating the need for recalibration as you scan your hunting zone.

MODEL	RANGE	FOV	MAG	SENSOR	RRP
LH25 2.0	1200m	10.5° × 7.9°	2.4-19.2		\$2,499
LH19 2.0	900m	13.7°×10.3°	1.8-14.4	384 × 288, 12µm NETD < 20mK	\$2,299
LH15 2.0	750m	17.5° × 13.1°	1.4-11.2		\$1,999
LE15 S	750m	11.7°× 8.8°	2.2-17.6	256 × 192, 12µm NETD < 35mK	\$1,399
LE10 S	500m	18°×13.6°	1.5-12		\$999.99
LC06 S	250m	24.7°×18.7°	1-4		\$699.99

Falcon THERMAL MONOCULAR



HIKMICRO

Industry Leading Thermal Performance

The Falcon thermal monocular combines an advanced SUB 20 NETD sensor with an F0.9 lens, ensuring exceptional imaging even in tough weather. The Falcon boasts a durable design, intuitive controls, and a 5-hour battery. Unique "Image Pro mode" enhances detail, supported by 64GB internal storage.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
7	FQ50	2600m	8.8° × 7.0°	2.6-20.8	64.0 512, 12	\$4,999
NO	FQ35	1800m	12.5° × 10°	1.8×-14.4	640 × 512, 12 μm NETD < 20mK	\$4,399
FALC	FQ25	1200m	17.5° × 14°	1.4×-11.2		\$3,999
E.	FH35	1800m	7.5° × 5.7°	3.0×-24	384 × 288, 12 µm	\$3,299
	FH25	1200m	10.5° × 7.9°	2.2×-17.6	NETD < 20mK	\$2,899



Remarkable image quality

This compact spotter is equipped with a powerful, high-sensitivity (NETD <20mK) thermal detector, which captures exceptionally fine detail. The result is a vivid, layered image, which doesn't just make it easy to spot and identify target quarry but also gives a very clear view of the surrounding landscape.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
α	CQ50L	2600m	8.7° × 7°	3 - 24	640 × 5 12, 12 µm	\$5,499
DOR	CQ35L	1800m	12.5° × 10°	2 - 16	NETD < 20mK	\$4,999
N	CH35L	1800m	0m 7.5° × 5.6° 3.5 - 28 384 × 288.12 µ	384 × 288, 12 µm	\$3,899	
<u>o</u>	CH25L	1200m	10.5° × 7.9°	2.5 - 20	NETD < 20mK	\$3,299

Stellar 3.0 THERMAL TUBE SCOPE

Traditional tube with powerful performance.

The Stellar 3.0 Thermal Scopes feature high-resolution detectors (up to 1280 × 1024), 2560 × 2560 OLED displays, and NETD<15 mK sensitivity. With up to 3100 m detection range, built-in laser rangefinder, ballistic calculation, and 10-hour battery life, they offer precision and reliability for field and forest hunting.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP	
-	SX60L 3.0	3100m	14.6° × 11.7°	2.5-28.5	1280 × 1024, 12 µm NETD < 18mK	\$10,999	
R 3.0	SQ50L 3.0	2600m	8.8° × 7.0°	3.6-26.6	640 × 512, 12 µm	\$7,499	
E	SQ35L 3.0	1800m	12.5°×10°	2.5-24.5	NETD < 15mK	\$6,999	
S IE	SH50L 3.0	2600m	5.3° × 4°	6-24		\$5,999	
	SH35L 3.0	1800m	7.5° × 5.7°	4.2-24.2	384 × 288, 12 μm NETD < 15mK	\$4,799	
	SH35 3.0	1000m	7.5 × 5.7	4.2-24.2		\$3,999	





HIKMICRO

Born for Low Light

The HikMicro Alpex with advanced sensor technology and image processing to deliver a detailed, full colour image throughout the day automatically adjusting to twilight and continuing to display an amazing full colour image up until total darkness.





Low Light Clarity

OPTICS

The 1440×1080 HD CMOS sensor gives a ground-breaking image in both day and night. Making the HikMicro Alpex the obvious winner when it comes to LOW-LIGHT HUNTING.

	MODEL	RANGE	FOV	MAG	CMOS RESOLUTION	RRP
Ĕ	A50T-S	600m	7.7° × 5.8°	3.5 - 14	1920 × 1080	\$1,099
ALF	A50T-S + TH4K	000111	7.7 ^ 3.0	5.5 - 14	1320 × 1080	\$1,399



HOW YOU SEE THE GAME

SMAN



Thunder 2.0

THERMAL SCOPE

Impressive Detail Recognition

With an extremely high thermal sensitivity (NETD<20mK) detector combining a powerful thermal camera of up to 640x512 @12µm @ F1.0, it ensures informative images and an enhanced identification capability even under the slightest temperature differences.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
	TQ50 2.0	2600m	8.7° × 7°	2.6 - 20.8	640 × 512, 12 µm	\$6,799
50	TQ35 2.0	1800m	12.5° × 10°	1.8 - 14.6	NETD < 20mK	\$5,599
£	TH35P 2.0	1800111	7.5° × 5.7°	3 - 24	384 × 288, 12 μm NETD < 20mK	\$4,499
Ā	TH25P 2.0	1200m	10.5° × 7.9°	2.2 - 17.6		\$3,999
Ę	TE25 2.0	1200111	7.0°× 5.3°	3.3 - 26.0	256 × 192, 12µm NETD < 35mK	\$2,399
Ē	TE19 2.0	1000m	9.2° × 6.9°	2.5 - 19.8		\$1,899

Thunder 3.0 THERMAL CLIP-ON



Clip-On Versatility

These thermal monoculars boast high-resolution detectors @ 640 × 512, 1920 × 1080 OLED displays, and NETD < 15 mK sensitivity, offering detection ranges up to 2600 m. With a 6-hour battery life and 1000 g shock resistance, they deliver top-tier performance in any environment.

0. M	MODEL	RANGE	FOV	MAG	SENSOR	RRP
DER	TQ50CL 3.0	2600m	8.8° × 7.0°	×]*	640 × 512, 12 µm NETD < 15mK	\$6,499
N N	TH35C 3.0	1800m	7.5° × 5.7°		384× 288, 12 μm NETD < 15mK	\$4,499

Thunder **ZOOM** 2.0 THERMAL SCOPE



Dual FOV Technology

With a 2.2x to 34.6x large magnification realized by the 384 detector @20mK, TH50Z 2.0 is the perfect match for both wooded and open field areas. A F0.8 large aperture also strengthens your viewing ability of objects.

	MODEL	RANGE	FOV	MAG	SENSOR	RRP
THUNDER ZOOM 2.0	TQ60Z 2.0	3000m	12.5° × 10.0°/ 7.3° × 5.9°	1.8-14.6/ 3.1 - 25.0	640 × 512, 12 μm NETD < 20mK	\$7,699
	TH50Z 2.0	2600m	10.5° × 7.9°/ 5.3° × 4.0°	2.2-17.4/ 4.3-34.6	384 × 288, 12 μm NETD < 20mK	\$5,299



NZ Office number NZ Office Email

newzealand@huntsmanoptics.com 03 789 4112

